

Mobile Voice and Video Conferencing Made Easy



A secure communications solution that gives you wired or wireless WAN connectivity, voice and VTC in a elegant, portable platform.



Benefits

Enable full collaboration outside the office with a powerful codec and a vivid touchscreen display.

Connect without having to wait for network and power infrastructure when in the field.

Leverage your own hardware-based encryption and enable secure collaboration wherever, whenever.

Product Overview

The CIS Secure RAPID collaboration kit (DTD-RAPIDKIT-01-L1) is designed to deliver secure voice and video capabilities in a flexible platform. The DTD-RAPIDKIT-01-L1 is a self-contained, easily-transportable device that brings together wired and wireless options for WAN connectivity, a Cisco 6901 VoIP phone and a full-featured Cisco Room Bar video codec. By integrating these components inside a ruggedized case, CIS Secure enables the user to limit the number of individual devices they need to handle by integrating them in a small footprint designed to limit complexity and streamline operations in the field.

Even when away from the office, government users have the ability to leverage the networks and services they need via a secure connection. The DTD-RAPIDKIT-01-L1 delivers access to collaboration functionality via a secure router, while still allowing for connectivity to unsecured transport networks such as cellular backhaul or wired Internet through an unsecured router. If wireless is not required, the unsecured wireless router can be bypassed and all traffic routed through a second unsecured router based on mission requirements. The flexibility of the platform allows the end user to leverage on-premise collaboration platforms like Cisco CUCM or cloud platforms like Webex or Microsoft Teams.

Key Features



15.6" Color Touchscreen



LiFEPO4 Battery & UPS



AC and DC Power



Cellular WAN Backhaul



Type 1 Encryption Capable

✉ sales@cissecure.com

☎ 703-996-0500



Mobile Voice and Video Conferencing Made Easy

DTD-RAPIDKIT-01-L1 Product Specifications

Part #:	DTD-RAPIDKIT-01-L1
Codec:	Built- In Cisco Room Bar / Microphone and Speakers
Display:	15.6" Touchscreen HD 1080
Unsecured (Black) Router 1 - Wireless - Cisco - IR1101	
Wired Network Ports:	(3) RJ-45 10/100/1000 LAN port / (1) RJ-45 10/100/1000 WAN port
Wireless WAN Networks:	(1) Private LTE & FirstNet Band 14 / (1) P-5GS6-GL 5G Sub-6 GHz Module
Connectors / Antennas:	SMA Connectors / Dipole Antennas included
Console:	MicroUSB
Unsecured (Green) Router 2 - Wired - Cisco 1101-4P	
Console:	DB9
Wired Network Ports:	(1) RJ-45 10/100/1000 WAN port / (2) RJ-45 10/100/1000 WAN PoE ports
Secure (Red) Router 3 - Cisco 1101-4P	
Console:	DB9
Wired Network Ports:	(2) 100 MB LC Fiber LAN ports
Wireless Switch:	Bypass switch for Unsecured wireless Black router
VTC/Phone Switch:	Toggle between Room Bar audio and Cisco 6901 audio
Hook Switch:	Toggle between On-Hook and Off-Hook state for Cisco 6901
Dial Pad:	Numeric dial pad for Cisco 6901
Encryptor Interfaces:	PT - RJ45 Male CT - RJ45 Male - PoE Supported Models - KG175n and KG250xs Powered by PoE or Fisher Connector
Headset Port:	DE9 Male Analog Headset Port / TEMPEST headset optional

Mobile Voice and Video Conferencing Made Easy

DTD-RAPIDKIT-01-L1 Product Specifications - Page 2

External Dimensions:	(L x W x H): 19.9" x 16.1" x 10.1"
Weight:	40 lbs
Power:	100-240 VAC:50-60Hz - AC Power Cord Provided 12-28 VDC - DC Power Cord Provided LiFEPO4 Battery based UPS built-in
Operating Temp:	0°C to 35°C (32°F to 95°F) ambient temperature
Warranty:	Standard 1 year parts and labor Optional 3 years parts and labor

